

F-315A Rotary Brush

【F-315A Function】

By means of the rotating force of the brush, it can massage the skin. It utilizes circumrotation of brush to massage, deep clean the skin and wipe off cornea, which obtain improving skin quality stimulating blood circle and removing fatigue. Moreover, its rhythm of massage can gain elasticity of skin and smooth skin.

【Using Method】

1. Plug the connector of brush handgrip to the port back of the host, hold the brush handgrip by the petiole part.
2. Choose appropriate brush head to insert the handle (5 brush heads are available, can be used at different parts of body).

Press the "POWER" key on the host, the LCD works; The host comes into the default mode; The direction of rotary brush is "↺"; The time is "3 minutes"; And the energy is "3".

Press "START/PAUSE" key to start the rotary brush, then the cosmetology can be started. A dynamic brush logo will be displayed on the LCD when the host begins to output. The dynamic brush logo becomes stable when the host stops output.

3. Depends on the demands of cosmetology, the rotary direction can be changed by pressing the “⑨” “DIRECTION” key; the working time of host can be adjusted by pressing “TIMER” “+” “-” keys; The rotary speed of the brush can be adjusted by pressing the “ENERGY” “+” “-” keys.

【Illustration of panel】

①Power

②Brush working indicator

③Direction indicator

④Time indicator

⑤Energy increase key

⑥Time increase key


⑦Start/Pause

⑧Energy indicator

⑨Direction switch key

⑩Energy decrease key

⑪Time decrease key



【Cautions】

1. Before working please check if the brush head has been plugged properly on the handle.
2. Before the brush head touch the face of the customer, the rotary speed

should decrease; don't make the customer feel uncomfortable.

3. After working, all the brush heads should be cleaned, sterilized and keep in dry place.

【Warning】

1. The function can not be used for long time, otherwise, the handle will be overheated.
2. The brush head can not be exchanged under the working condition.
3. The brush head can not be stopped by hand or other objects under the working condition; and grasping the brush head when starting the function is also forbidden.