

To assemble the Amati Island follow this procedure.

- Place the spacer assemblies on top of the lower cabinet assemblies and use the provided connector bolts to pass through the (4) predrilled holes in the sub top of the lower cabinet into the threaded inserts in the spacer. Tighten with the provided allen wrench.
- 2)Place the upper cabinets on top of the spacer assemblies. Use the provided connector bolts to pass through the (2) predrilled holes in the sub deck of the upper cabinet into the threaded inserts in the spacer. Tighten with the provided allen wrench.
- 3) Assemble the mirror frame by passing the supplied screws into the pre-drilled/tapped holes in the metal. You may wish to cut the side pieces of the mirror frame down to accommodate your ceiling type.
- 4) Place both sides of the island in their final position. Leave a 6 1/16" gap between them. Lower the mirror frame assembly on top of the short base cabinets. Line up the cooresponding holes and secure with the supplied bolts.
- 5) With the cabinets and mirror frame installed, locate the supplied mirror clips and attach to pre drilled holes in the mirror frame. Install mirror by first seating into the bottom clips then lifting the upper clips to seat the top of the mirror.

Quantity -

Finish Schedule -940-48-1

Face Color -Top Color -Toe Color - Sliver Legs Reveal / Accent Color -

Reveal / Accent Color -Hardware - Amati Pulls Interior - Black Melamine Other (Specify) -

General Notes:

- 1. All counter tops are to be made removable wherever possible.
- 2. Items must be broken into managable sections For Shipping. Mark For Ease Of Reassembly.
- 3. Install Shipping Cleats Wherever Possible To Prevent Shipping Damage.
- 4. Purchased items Must Be Trial Fit Before Shipping.





