




1-800-477-6655
buyritebeauty.com


HELIX STAINLESS STEEL TRAY

NIN-588

INSTRUCTION MANUAL



List of Parts & Tools




x2

Bolts
(Pre-Installed)




x1

Allen Wrench




x1

Base



x1

Frame



x4


Caster



x2


Washers
(Pre-Installed)

Step 1




1. Locate the metal frame and remove the two bolts and washers from the bottom and set them aside.
2. Align the holes in the frame with the matching holes in the base and reinsert the bolts and washers to attach.
3. Use the provided wrench to fully tighten the bolts to secure the pieces in place. Do not overtighten as this may damage the bolt threads or the mounting holes.

Step 2




1. Place the tray on its side on a flat, stable surface and locate the four pre-drilled holes on the bottom of the base.
2. Insert one caster into each hole and turn it until fully attached and secured.
3. Ensure all casters are firmly attached and spinning freely before use.

Step 3



1. To transition the trays from the storage position to the operating position, first grasp the front edge of the tray shelf and lift upward until the tray is level with the ground.
2. Once level, press downward slightly until you hear or feel the tray lock into place in the operating position.
3. Ensure the tray is fully secure before use.

Step 4




1. To transition the trays from the operating position back to the storage position, first grasp the front edge of the tray shelf and lift upward until you feel the mechanism release.
2. Slowly and gently lower the front of the shelf until it is fully vertical and flush with the metal frame.
3. Ensure it is securely positioned before moving or storing the unit.


Product care



Brush away excess hair



Clean surface with damp cloth or
use simple soap & water solution



Avoid using corrosive clean-
ing agents such as bleaches

Product Information

1. Enjoy your new tray!
2. Remember to always keep the tray on a flat level surface.
3. Please avoid contact with bleach or other harsh chemicals as tray finish may be damaged.
4. If you any questions or concerns, please contact our customer experience team at 912-335-4445.